BEFORE THE BOARD OF ENVIRONMENTAL REVIEW OF THE STATE OF MONTANA

2 3 In the matter of the adoption) PRESIDING OFFICER REPORT of new rules I through IX and) the repeal of ARM 17.36.901 5 through 17.36.903 and 17.36.907 through 17.36.910 6 pertaining to Subsurface) Wastewater Treatment Systems 7 In the matter of the amendment of ARM 17.38. 101 and 17.38.106 pertaining to public water and sewage system requirements 10 In the matter of the amendment of ARM 17.36.101, 17.36.310, 17.36.320, 17.36.321, 17.36.325, 11 17.36.326, 17.36.330, 17.36.332, 12 17.36.333, 17.36.336, 17.36.340, 17.36.345 pertaining to 13 definitions, storm drainage, sewage systems, water supply 14 systems, non-public water supply systems, alternate water supply 15 systems, lot sizes, and adoption by reference of DEQ-4 16

17 18

1

INTRODUCTION

public hearing held in Room 111 of the Metcalf Building,

1520 East Sixth Avenue, Helena, Montana, to take public

comment on the above-captioned matters. Notice of the

Register (MAR), Issue No. 19, MAR Notice Numbers 17-176,

hearing was contained in 2002 Montana Administrative

17-177, and 17-178, published on October 17, 2002.

of each notice is attached to this report.

On November 18, I presided over and conducted the

19

1.

20

21

22

2324

25

26

27

2..

1

4 5

6 7

8 9

10

11 12

13

14 15

16

17

18

20

19

21

22

23 24

25

26 27 concluded at about 2 p.m. A court reporter, Rosi E. Christensen, recorded the hearing. 3. I announced that persons at the hearing would be

given an opportunity to submit their data, views, or arguments concerning the proposed action, either orally or in writing.

The hearing began at about 1:30 p.m. and

- At the hearing I identified and summarized the MAR notices, stated that copies of the MAR notices were available in the hearing room, read the Notice of Function of Administrative Rule Review Committee as required by Mont. Code Ann. § 2-4-302(7)(a), informed the persons at the hearing of the rulemaking interested persons list and of the opportunity to have their names placed on that list, recited the authority to make the proposed rule, announced the opportunity to present matters at the hearing or in writing, as stated in the MAR notices, and explained the order of presentation.
- 5. At the conclusion of the hearing I announced that the proposed rulemakings were expected to be considered by the Board at its first regular meeting in 2003.

SUMMARY OF HEARING

6. Theresa Blazicevich, Subdivision Review Section, Water Protection Bureau, DEQ, made an oral statement summarizing the rulemakings in Notice No. 17-176 and 17-178. The Subdivision Review Task Force has spent three years working to incorporate new technology and update

rules. The rules also update county minimum standards used to issue septic or wastewater treatment permits. The proposed rules for wastewater permits are consistent with subdivision rules. Because sewage from RV holding tanks can damage drain fields, the rules allow holding tanks for RV dump stations. A recent EPA publication stated that percolation tests may not be as reliable as other tests and the rules make percolation tests optional.

2.0

2.3

2.4

- 7. Jim Melstad, Public Water Supply Section,
 Permitting and Compliance Division, DEQ, made an oral
 statement summarizing the rulemaking in Notice No. 17-177.
 References to circulars are updated and the fees for
 review of projects under Circular DEQ-4 will be the same
 whether the systems are reviewed as part of a subdivision
 or as a separate public wastewater system. Mr. Melstad
 submitted a written statement that is attached hereto.
- 8. Clete Daily is the owner of Lakeside Resort on Hauser Lake. He made a statement as a proponent of the proposed rule [Notice No. 17-178, ARM 17.36.321] allowing the use of holding tanks for recreational vehicle (RV) dump stations. Mr. Daily explained that his resort is about one and one-half miles from a BLM campground, which has no RV dump station. The nearest dump station is 6-10 miles from this BLM campground. The Lewis and Clark Bicentennial Commission is developing a viewing site at Devil's Elbow, which is by the BLM campground. This may further increase the number of visitors to the area and

the need for RV's to have a place to dump their wastewater holding tanks. In the absence of a convenient dump station, there could be illegal dumping, which would endanger the water quality of Hauser Lake. Mr. Daily believes the convenience store at his resort would provide a good location for an RV dump station using a holding tank.

2.

2.0

2.3

9. Shawn Bryant is an engineer with Stahly Engineering in Helena. He made a statement as a proponent of the proposed rule [Notice No. 17-178, ARM 17.36.321] allowing the use of holding tanks for recreational vehicle (RV) dump stations. Mr. Bryant explained that a holding tank is often more appropriate than an on-site wastewater treatment system, particularly for locations near bodies of water such as Hauser Lake.

Mr. Bryant also made a statement suggesting possible changes to Notice No. 17-176. New Rule II(18) defines "multiple user wastewater system" and New Rule II(30) defines "shared wastewater system." Mr. Bryant suggested combining the definitions. As currently drafted, a person could divide a one-and-one-half-acre parcel into three half-acre parcels, but a person could not divide a one-acre parcel.

10. No other person made an oral statement at the hearing.

SUMMARY OF ADDITIONAL WRITTEN MATERIALS

11. After the hearing DEQ submitted written memoranda

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

2.0

21

2.2

23

2.4

25

26

27

- 12. Four other written comments were received after the hearing and are attached hereto. The period to submit comments ended on November 26, 2002, for Notices 17-177 and 17-178, and on November 27, 2002, for Notice 17-176.
 - a. Lake County submitted comments about Circular DEO-4.
 - b. Lee Griswold of WMW Engineering, PC, submitted comments critical of the fee structure and specific comments about some rules.
 - c. Avis Erb submitted comments about percolation tests, expressing concern about the elimination of such tests and critical of WQB-4, which has three different procedures for such tests, inadequate presoaking time, and omits loam soil from a table. He made suggestions for discharge of water softener water to offset the harmful effects of sodium to soil infiltration. He also commented upon some of the definitions in New Rule II.
 - d. Patrick Faber opposes the amendment to ARM 17.36.325 concerning the elimination of mandatory percolation tests. A properly conducted percolation test provides real data to help minimize the incidence of drainfield failure.

PRESIDING OFFICER COMMENTS

13. The Board has jurisdiction to adopt rules for the

administration of Water Quality laws (Mont. Code Ann. § 75-5-201), for the treatment of wastes and disposal of sewage (Mont. Code Ann. § 75-5-305), for waters used for public water supplies (Mont. Code Ann. § 75-6-103), and to prescribe fees (Mont. Code Ann. § 75-6-108). DEQ has authority to make rules pertaining to sanitation in subdivisions (Mont. Code Ann. § 76-4-104).

2.4

- 14. House Bill 521 (1995) generally provides that the Board may not adopt a rule that is more stringent than comparable federal regulations or guidelines, unless the Board makes written findings after public hearing and comment. The proposed new rules and amendments are not more stringent than a comparable federal regulation or guideline. Therefore written findings are not necessary.
- Assessment Act, codified as Mont. Code Ann. § 2-10-101 through -105, provides that a state agency must complete a review and impact assessment prior to taking an action with taking or damaging implications. The proposed new rules and amendments affect real property. Private Property Assessment Act Checklists were prepared in this matter. The proposed new rules and amendments do not have taking or damaging implications. Therefore, no further HB 311 assessment is necessary.
- 16. The procedures required by the Montana
 Administrative Procedure Act, including public notice,
 hearing, and comment, have been followed.